

CLEAN VERSION

Please add new claims 8-18.

the first tubular member is provided with a receiving member which is snugly fitted in the bottom of the first tubular member and has a cross section

the second tubular member is provided with a catching member which is snugly fitted around the outer surface of the upper end of the second tubular member, has a cross section having a shape similar to that of the second tubular member, and is adapted to catch said receiving member when the second tubular member projects to its fullest extent.

said telescopic units respectively attached to each said leg attachments.

said telescopic units respectively attached to each said leg attachments.

said telescopic units respectively attached to each said leg attachments.

said telescopic units respectively attached to each said leg attachments.

0 15. (NEW) A telescopic unit, according to claim 6, further comprising:
a tripod;
said tripod including a base;
said base including a plurality of leg attachments; and
said telescopic units respectively attached to each said leg attachments.

5 16. (NEW) A telescopic unit, according to claim 8, further comprising:
a tripod;
said tripod including a base;
said base including a plurality of leg attachments; and
said telescopic units respectively attached to each said leg attachments.

17. (NEW) A telescopic unit, according to claim 9, further comprising:
a tripod;
said tripod including a base;
said base including a plurality of leg attachments; and
said telescopic units respectively attached to each said leg attachments.

18. (NEW) A telescopic unit, according to claim 10, further comprising:
a tripod;
said tripod including a base;
said base including a plurality of leg attachments; and
said telescopic units respectively attached to each said leg attachments.

Bl
Port
30040
04040
10510
10510